

Other example of fusion:

Construct CST-04: Fusion of the *Neisseria meningitidis* CMP-Neu5Ac synthetase (GenBank #U60146) with Cst-I from *Campylobacter jejuni* (GenBank #BD134499). This construct also includes a Gly-Gly-Gly-Ile linker between the fusion partners and a 6-His tag at the C-terminus.

Figure 1: DNA sequence of the fusion gene in CST-04

```
ATGGAAAAACAAAATATTGCGGTTATACTTGCGCGCCAAAACCTCCAAAGGATTGCCATTAAAAA
ATCTCCGGAAAATGAATGGCATATCATTACTTGGTCATACAATTAATGCTGCTATATCATCAAA
GTGTTTTTGACCGCATAATTGTTTCGACTGATGGCGGGTTAATTGCAGAAGAAGCTAAAAATTTT
GGTGTCTGAAGTCGTCTACGCCCTGCAGAGCTGGCCTCCGATACAGCCAGCTCTATTTTCAGGTG
TAATACATGCTTTAGAAACAATTGGCAGTAATTCCGGCACAGTAACCCCTATTACAACCAACCAG
TCCATTACGCACAGGGGCTCATATTCGTGAAGCTTTTTCTCTATTTGATGAGAAAATAAAAGGA
TCCGTTGTCTCTGCATGCCCAATGGAGCATCATCCACTAAAAACCCTGCTTCAAATCAATAATG
GCGAATATGCCCCCATGCGCCATCTAAGCGATTTGGAGCAGCCTCGCCAACAATTACCTCAGGC
ATTTAGGCCTAATGGTGCAATTTACATTAATGATACTGCTTCACTAATTGCAAATAATTGTTTT
TTTATCGCTCCAACCAAACCTTTATATTATGTCTCATCAAGACTCTATCGATATTGATACTGAGC
TTGATTTACAACAGGCAGAAAACATTCTTAATCACAAGGAAAGCGGTGGCGGAATTCTGACAAG
GACTAGAATGAAAAATGAACTCATTGTTAGTAAAAATATGCAAAATATAATCATAGCAGGAAAT
GGACCTAGCCTAAAAAATATTAATTATAAAAGACTGCCTAGAGAATATGATGTTTTTAGGTGTA
ACCAGTTTTATTTTGAAGATAAGTATTATTTAGGAAAAAAGATTAAAGCAGTATTTTTTAATCC
TGGTGTCTTTTTTACAACAGTATCACACTGCAAAACAACCTTATACTAAAAAATGAGTATGAAATA
AAAAATATTTTTTTGCTCTACATTTAATTTACCTTTTATTGAAAGCAATGATTTTTTTACATCAAT
TTTATAATTTTTTTCCCGATGCAAAACTTGGCTATGAAGTTATTGAAAACCTTAAAGAATTTTA
TGCTTATATAAAATACAATGAAATTTATTTCAATAAAAGAATTACTTCGGGCGTCTATATGTGT
GCAATTGCTATTGCATTAGGATATAAAACCATCTATTTATGTGGCATTGATTTTTTATGAAGGAG
ATGTTATTTTATCCTTTTGAAGCTATGAGTACAAATATAAAAACAATCTTTCCTGGAATAAAAGA
TTTCAAACCTTCAAATTGTCAATTCTAAGGAATACGATATAGAAGCATTAAAATTGTTAAAATCA
ATATACAAAGTTAATATCTACGCATTGTGTGATGATTCTATTTTGGCAAATCATTTTCCTTTAT
CAATTAATATTAATAACAATTTCACTTTAGAAAATAAGCATAATAATTCTATAAATGATATTTT
ATTGACTGATAATACTCCTGGCGTAAGTTTTTATAAAAATCAACTTAAAGCTGATAATAAAATT
ATGCTTAATTTTTTATAATATTCTTCATTCTAAAGATAATTTAATTAAATTTTTTAAACAAAGAAA
TTGCGGTATTAAAAAAACAAACCACTCAACGAGCTAAAGCAAGAATCCAAAACCATCTATCCTA
TAAACTAGGACAAGCTTTGATTATAAATTCTAAAAGTGTATTAGGTTTTTTTATCTTTACCTTTT
ATAATATTAAGTATCGTTATTTTACATAAACAAGAACAAAAGGCTTATAAATTTAAAGTAAAGA
AAAATCCAAATTTAGCTTTACCTCCTTTAGAACTTATCCTGATTATAATGAAGCTTTAAAGAA
AAAAGAATGTTTTACTTATAAATTAGGAGAAGAATTTATAAAAGCTGGTAAGAATTGGTATGGG
GAGGGGTATATCAAATTTATATTCAAAGATGTTCCCTAGGTTGAAGAGAGAGTTTGAGAAAGGGG
AACATCACCACCATCACCCTAATGA
```

Figure 2: Amino acid sequence of the fusion protein in CST-04.

EXHIBIT C

MEKQNI AVILARQNSKGLPLKNLRKMNGISLLGHTINAAISSKCFDRIIVSTDGGLIAEEAKNF
 GVEVVL RPaelASDTASSISGVIHALETIGSNsgTVTLlQPTsPLRTGAHIREAFSLFDEKIKG
 SVVSACPMehhPLKtLLQINNGEYAPMRHLSdLEQPRQQLPQAFRPNGAIYINDTASLIANNCF
 FIAPTKLYIMSHQDSIDIDTELDLQQAENILNHKESGGGILTRTRMENELIVSKNMQNI I IAGN
 GPSLKNINyKRLPREYDVFRcnQfYfEDKYyLGKKIKAVFFNPGVFLQqYHTAKQLILKNEYEI
 KNIFCSTFNLPFIESNDFLHQfYNFFPDakLGYEVIENLKEFYAYIKYNEIYFNKRITSGVYMC
 AIAIALGYKTIYLCGIDFYEGDVIYPFEAMSTNIKTIFPGIKDFKPSNCHSKEYDIEALKLLKS
 IYKVNIYALCDDSilanHFPLSININNNFTLENKHNNsINDILLTDNTPGVsFYKNQLKADNKI
 MLNFYNI LHSKDNLIKFLNKEI AVLKKQTTQRAKARIQNHLsYKLgQALIINSKSVLgFLSLPF
 IILSIVISHKQEQKAYKfKVKNPNLALPpLEtYPdYNEALKEKECfTYKLGEeFIKAGKNWYG
 EGYIKFIFKDVPRlKREFEKGEHHHHH

Experimental evidence for activity of both fusion partners:

Table 1: Activity measured in the various fractions of an extract¹ of *E. coli* AD202/CST-04 using a direct assay for α -2,3-sialyltransferase² activity and a coupled assay³.

Fraction	Total activity Direct assay ² (mU) ⁴	Total activity Coupled assay ³ (mU)
15,000 rpm supernatant	2,289.6	1,612.0
15,000 rpm pellet	3,877.2	7,509.6
55,000 rpm supernatant	134.8	177.2
55,000 rpm pellet	895.2	897.2

¹ CST-04 was transformed in *Escherichia coli* AD202. A 200 mL culture was grown at 37°C and induced with 0.5 mM IPTG. The culture was grown for a total of 24 h and the cell extract was made using an Emulsiflex homogenizer. The extract was centrifuged at 15,000 rpm and the resulting supernatant was centrifuged at 55,000 rpm.

² The direct assay for α -2,3-sialyltransferase activity was performed using 1 mM Lac-FEX, 0.2 mM CMP-Neu5Ac, 10 mM MgCl₂ and 50 mM Hepes pH 7.5.

³ The coupled assay for CMP-Neu5Ac synthetase and α -2,3-sialyltransferase activities was performed using 1 mM Lac-FEX, 3 mM CTP, 3 mM Neu5Ac, 0.2 mM DTT, 10 mM MgCl₂ and 50 mM Hepes pH 7.5. The reactions were performed at 37°C for 5 min.

⁴ A milli-unit (mU) of activity is defined as the amount of enzyme that converts one nanomol of product per minute.

Other example of fusion: CST-02

Construct CST-02: Fusion of the *Neisseria meningitidis* CMP-Neu5Ac synthetase (GenBank #U60146) with truncated Cst-I (328 aa) from *Campylobacter jejuni* (GenBank #BD134499). This construct also includes a Gly-Gly-Gly-Ile linker between the fusion partners and a 6-His tag at the C-terminus.

Figure 1: DNA sequence of the fusion gene in CST-02

```
ATGGAACAAATATTGCGGTTATACTTGCGGCCAAACTCCAAAGGATTGCCATTAAAAA
ATCTCCGGAATGAATGGCATATCATTACTTGGTCATACAATTAATGCTGCTATATCATCAA
GTGTTTGTACCGCATAATTGTTTCGACTGATGGCGGGTTAATTGCAGAAGAAGCTAAAAATTC
GGTGTGCAAGTCGTCTACGCCCTGCAGAGCTGGCCTCCGATACAGCCAGCTCTATTTTCAGGTG
TAATACATGCTTTAGAAACAATTGGCAGTAATTCCGGCACAGTAACCCTATTACAACCAACCAG
TCCATTACGCACAGGGGCTCATATTCGTGAAGCTTTTTCTCTATTTGATGAGAAAATAAAAGGA
TCCGTTGTCTCTGCATGCCCAATGGAGCATCATCCACTAAAAACCCTGCTTCAAATCAATAATG
GCGAATATGCCCCCATGCGCCATCTAAGCGATTTGGAGCAGCCTCGCCAACAATTACCTCAGGC
ATTTAGGCCTAATGGTGCAATTTACATTAATGATACTGCTTCACTAATTGCAAATAATTGTTTT
TTTATCGCTCCAACCAAACCTTTATATTATGTCTCATCAAGACTCTATCGATATTGATACTGAGC
TTGATTTACAACAGGCAGAAAACATTCTTAATCACAAGGAAAGCGGTGGCGGAATTCTGACAAG
GACTAGAATGGAAAATGAACTCATTGTTAGTAAAAATATGCAAAATATAATCATAGCAGGAAAT
GGACCTAGCCTAAAAAATATTAATTATAAAAGACTGCCTAGAGAATATGATGTTTTTAGGTGTA
ACCAGTTTTATTTTGAAGATAAGTATTATTTAGGAAAAAAGATTAAAGCAGTATTTTTTAATCC
TGGTGTCTTTTTTACAACAGTATCACACTGCAAAACAACCTTATACTAAAAAATGAGTATGAAATA
AAAAATATTTTTTGCTCTACATTTAATTTACCTTTTATTGAAAGCAATGATTTTTTACATCAAT
TTTATAATTTTTTCCCCGATGCAAAACTTGGCTATGAAGTTATTGAAAACCTTAAAGAATTTTA
TGCTTATATAAAATACAATGAAATTTATTTCAATAAAAGAATTACTTCGGGCGTCTATATGTGT
GCAATTGCTATTGCATTAGGATATAAAACCATCTATTTATGTGGCATTGATTTTTTATGAAGGAG
ATGTTATTTATCCTTTTGAAGCTATGAGTACAAATATAAAAAACAATCTTTCCTGGAATAAAAGA
TTTCAAACCTTCAAATTGTCATTCTAAGGAATACGATATAGAAGCATTAAAATTGTTAAATCA
ATATACAAAGTTAATATCTACGCATTGTGTGATGATTCTATTTTGGCAAATCATTTTCCTTTAT
CAATTAATATTAATAACAATTTCACTTTAGAAAATAAGCATAATAATTCTATAAATGATATTTT
ATTGACTGATAATACTCCTGGCGTAAGTTTTTATAAAAATCAACTTAAAGCTGATAATAAAATT
ATGCTTAATTTTTTATAATATTCTTCATTCTAAAGATAATTTAATTAAATTTTTTAAACAAAGAAA
TTGCGGTATTAAAAAAACAAACCACTCAACGAGCTAAAGCAAGAATCCAAAACCATCTATCCTA
TAAACTAGGACAAGCTCATCACCACCATCACCCTAATGA
```

Figure 2: Amino acid sequence of the fusion protein in CST-02.

MEKQNI AVILARQNSKGLPLKNLRKMNGISLLGHTINAAISSKCFDRIIVSTDGGLIAEEAKNF
GVEVVL RPaelASDTASSISGVIHALETIGSNsgTVTLlQPTsPLRTGAHIREAFSLFDEKIKG
SVVSAC PMEHhPLKTLLQINNGEYAPMRHLSdLEQPRQQLPQAFRPNGAIYINDTASLIANNCF
FIAPTKLYIMSHQDSIDIDTELDLQQAENILNHKESGGGILTRTRMENELIVSKNMQNII IAGN
GPSLKNINYKRLPREYDVFRcnQfYfEDKYyLGKKIKAVFFNPGVFLQqYHTAKQLILKNEYEI
KNIFCSTFNLPFIESNDfLHQfYNFFPDakLGYEVIENLKEFYAYIKYNEIYFNKRITSGVYMC
AIAIALGYKTIYLCGIDFYEGDVIYPFEAMSTNIKTIFPGIKDFKPSNCHSKEYDIEALKLLKS
IYKVNIYALCDDSiLANHFPLSiNINNNfTLENKHnNSINDiLLTDNTPGVsFYKNQLKADNKI
MLNFYNI LHSKDNLIKFLNKEIaVLKKQTTQRAKARIQNHLSYKLGAHHHHHH